

 **NueNutri™****2-0-3****GUARANTEED ANALYSIS**

Total Nitrogen (N).....	2%
2% Ammoniacal Nitrogen	
Soluble Potash (K ₂ O).....	3%
Sulfur (S).....	1.50%
1.50% Combined Sulfur	
Manganese (Mn).....	0.80%
0.8% Water Soluble Manganese (Mn)	
Molybdenum (Mo).....	0.05%

Derived from: Manganese (II) sulfate, Ammonium molybdate and Vinasse.



8 699885 678750 2

APPLICATIONS

Direction for use: Shake well before use

CROP	RATE (PER APPLICATION)	APPLICATION (FOLIAR)		
Horticultural Crops				
Glasshouse crops	30fl.oz per acre (dilute in a minimum of 20 gallons water)	Apply from pre-flowering to fruit set		
Fruiting Vegetables		Apply from pre-flowering to fruit set		
Leafy Vegetables		Apply at 7-14 day intervals during crop development		
Bulb Vegetables		Apply at 7-14 day intervals during crop development		
Root Vegetables		Apply at 7-14 day intervals during crop development		
Strawberries		Apply from pre-flowering to fruit set		
Cucurbits		Apply from pre-flowering to fruit set		
Ornamentals		Apply at 14-21 day intervals throughout the flowering cycle		
Woody Perennials				
Pome Fruit		Use 30fl.oz per 100 gallons of water	Apply from pre-flowering to fruit set	
Stone Fruit				
Citrus				
Nuts				
Grape				
Coffee				
Tropical crops				
Blueberries / Bush Fruits				
Broad Acre				
Cereals	30fl.oz per acre (dilute in a minimum of 20 gallons water)			Apply from pre-flowering to early grain fill
Maize		Apply from tasselling to grain filling		
Potato		Apply from pre-flowering through tuber filling		
Sugar beet		Apply from canopy development to bulb filling		
Rice		Apply from pre-flowering to early grain fill		
Cotton		Apply from pre-flowering to early boll development		
Legumes		Apply from pre-flowering to pod set		
Grass		Apply at 14-21 day intervals during intensive growth		
Oilseed rape (Canola)		Apply from pre-flowering to pod set		
Tobacco		Apply from pre-flowering and during leaf ripening		

WARNING

Harmful to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

Avoid release to the environment.

Dispose of contents/container to in an appropriate waste disposal plant.

STORAGE

Keep in the original pack. Ensure packaging is sealed and kept in dry conditions. Do not expose to direct sunlight. Storage temperature must be between 41° and 104°F (5° and 40°C).

DISPOSAL

Dispose of product and packaging in accordance with local law.

Information regarding the contents and levels of metals in this product is available on the internet at

<http://www.aapfco.org/metals.html>

WARNING: The application of fertilizers containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

LIABILITY

The company limits its liability strictly to composition, formulation and content. Always read the label before use and use proper protection when handling the product. In case of mixing, contact the company's technical service. The user will be responsible for any damage caused (lack of effectiveness, toxicity in general, residues) by total or partial non-observance of the instructions on the label.

Information about the components of this lot of fertilizer may be obtained by writing to Agri Sciences Biologicals at Clematislaan 51, 2241 JB, Wassenaar Netherlands and giving the lot number which is found on the bottom of the container label.

KEEP OUT OF REACH OF CHILDREN

GUARANTEED BY

Agri Sciences Biologicals B.V.
Clematislaan 51, 2241 JB, Wassenaar Netherlands
Phone number for US inquiries: +1 984 292 1977
www.agri-sci-biologicals.com

NET VOLUME: 2.64 gal (10L)

NET WEIGHT: 25.35 lbs (11.5kg)

Florida License No.: F003357

LOT No.:
PRODUCTION DATE: